

# Anvil American

*"Your Complete Stringline Source"*

800.BY.ANVIL

AnvilAmerican.com

Line Clamps  Line Rods  Stringline  
Radius Materials  Stakes



## STRINGLINE CLAMPS

### SL121

- Teardrop Shaped Holes
- Independent Clamping
- Corrosion Resistant
- Steelbox Construction
- SL132 Bolts Included



### SL122 *The Original*

- Instajust® Spring Action
- Heat Treated Steel
- Corrosion Resistant
- No Bolts/Wrenches Required
- Pat.#4,309, 120



### SL123

- Precision Shaped Holes
- Independent Clamping
- Corrosion Resistant
- Steelbox Construction
- SL 132 Bolts Included



### SL127

- For Sonic Grade Control
- Corrosion Resistant
- Clamp Retains Cord
- Heat Treated Steel




### SL109 STAKE EXTENDING CLAMP

- Teardrop Shaped Holes
- Corrosion Resistant
- Steel Construction
- SL132 Bolts Included



### SL100 LINE STAKE

- High Quality Steel
- 3/4" Diameter x 48" Long
- Easy Driving



## STRINGLINE RODS


### SL110 DOWNWARD BEND

- Cold Drawn Steel
- Corrosion Resistant
- Angled Entry Slot



### SL111 UPWARD BEND

- For All Top Sensing Machines



### SL112 THREADED LINE ROD

- Replaceable Line Tip (SL 116) Included
- Cold Drawn Steel
- Corrosion Resistant



### SL113 STRAIGHT LINE ROD

- Cold Drawn Steel
- Corrosion Resistant
- Angled Entry Slot



### SL116


- Self Threads on to SL 112
- Durable Nylon
- Replaceable



## BOLTS

### SL130 - L Shaped Bolt

3/8" 16 UNC



### SL132 - Hex Head Bolt

- Corrosion Resistant

## FORM PINS

### SL3412 3/4" x 12" Form Pin

### SL3418 3/4" x 18" Form Pin

### SL3424 3/4" x 24" Form Pin

### SL3430 3/4" x 30" Form Pin

### SL3436 3/4" x 36" Form Pin





## STRINGLINE

### SL140-1 STRINGLINE

Diamond Braided Polyester with Core. Available in Blue, Fluorescent Yellow, Orange, or White on 1,000' Spools (White also available in 3,000' & 5,000').



### SL142-1 STRINGLINE

Diamond Braided Polyethylene with Core. Available in Yellow on 1,000' Spools.



### SL141 STRINGLINE

Diamond Braided Polyester with Core. Available in Yellow on 1,000' /3,000' /5,000' Spools



### SL143 STRINGLINE

Diamond braided Polyester with Kevlar core. Available in Yellow on 1,000'/3,000'/5,000' Spools and in Blue on 3,000'/5,000' Spools

## TENSION WINCH

### SL310 TENSION WINCH

- Zinc Plated
- Corrosion Resistant
- Horizontal or Vertical Mounting
- 600 Pound Rating
- Requires Two SL 100 Stringline Stakes



## STRINGLINE KITS

### SL201 100 PC. Kit

Contains Your Choice of:

- 100 Line Stakes
- 100 Line Rods
- 100 Line Clamps with Hardware
- 2,000 Feet of Stringline

### SL202 200 PC. Kit

Contains Your Choice of:

- 200 Line Stakes
- 200 Line Rods
- 200 Line Clamps with Hardware
- 5,000 Feet of Stringline

### SL203 Mile Kit **Plus**

Contains Your Choice of:

- 250 Line Stakes
- 250 Line Rods
- 250 Line Clamps with Hardware
- 6,000 Feet of Stringline
- 6 SL310 Winches

Kits are a cost saving advantage to purchasing Stringline Components; ideal for a new machine, an additional crew, or a new project.

**NEW!**

**Stringline Stands**

\*Line Rod and Clamp not included.

**SL-STND18** 12lb. base 18" stake

**SL-STND24** 12lb. base 24" stake

When you can't drive a stake in the ground!

For sensing under the machine when pouring barrier wall or bridge parapet.



## RADIUS CLIPS

### SL114 Flatbar Radius Clip



### SL115 3/8" Rod Radius Clip


### SL117 3/4" CPVC Radius Clip

### SL118 3/4" PVC Pipe Radius Clip



### SL119 1" PVC Pipe Radius Clip

## RADIUS LAYOUT MATERIALS



(A) **SL151** Flat Fiberglass Bar 8' 4"

(A) **SL151-2** Flat Fiberglass Bar 16' 8"

- No Thermal Expansion
- High Visibility Yellow
- Excellent Flexibility
- 8' 4" Lengths
- Durable Fiberglass
- 16' 8"

(B) **SL151C** Flat Fiberglass Bar Connector

(C) **SL155** 8' 4" x 3/8" OD Fiberglass Rod

(C) **SL155-2** 16' 8" x 3/8" OD Fiberglass Rod

- No Thermal Expansion
- High Visibility Yellow
- Excellent Flexibility
- 8' 4" Lengths
- Durable Fiberglass
- 16' 8"

(D) **SL155C** 3/8" ID Fiberglass Rod Connector



***Industry Leader Serving the World Market for Over 30 Years.***

***Visit us online***

***AnvilAmerican.com***



**Sales: 800.292.6845**

**Ph: 704.603.2000**

**Fax: 704.603.2002**

**[sales@AnvilAmerican.com](mailto:sales@AnvilAmerican.com)**